UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D C 20460



United States Environmental Protection Office of Pesticide Programs

NOV 29 2012

VJP Consulting, Inc c/o Taminco, Inc 21320 Sweet Clover Place Ashburn, VA 20147

Attention Vincent J Piccirillo

Subject Thionic ® Ziram Technical

EPA Registration No 45728-14 Amendment Dated October 31, 2012

This will acknowledge receipt of your notification, submitted under the provisions of FIFRA Section 3(c)(9)

Proposed Notification

- To correct the Thionic Ziram Technical label per comments from the States regarding the direction for use

General Comments

Based on a review of the submitted material, the following comments apply

The Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been added to your file

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217

Sincerely,

Marshall Swindell

Product Manager (33)

Regulatory Management Branch 1

Antimicrobials Division (7510P)

Please read instructions on revers	e before completing form		Forr			Approval expires 5-31 98	
United States				Registrati	on	OPP Identifier Number	
Environmental Prote			gency	Amendme X Other	ent		
	ton, DC 20460	OC 20460					
Application for Pesticide – Section I							
1 Company/Product Number 45728 14						ed Classification	
4 Company/Product (Name) Thionic® Ziram Technical						e Restricted	
5 Name and Address of Applicant (Include ZIP Code)			6 Expedited Review In accordance with FIFRA Section 3(c)(3)				
			(b)(i) my product is similar or identical in composition and labeling to				
Taminco Inc Two Windsor Plaza Suite 411			EPA Reg No				
7540 Windsor Drive							
Allentown PA 18195							
Check if this is a new address			Product Name				
Section – II							
Amendment – Explain below I-inal printed labels in response to Agency letter dated							
Resubmission in response to Agency letter dated Me Too Application							
X Notification – Explain below Other – Explain below							
Explanation Use additional page(s) if necessary (For Section I and Section II)							
Notification to correct the Thionic Ziram Technical label per comments from States regarding direction for use The Applications (foliar formulation							
and the Directions of Use for the							
with the provisions of PR Notice confidential statement of formula state							
EPA I further understand that	of this notification is not d	onsistent with the	terms of PR Notice 98	-10 and 40 CFR			
violation of FIFRA and I may b	e subject to enforcement			nd 14 of FIFRA			
Section III							
1 Material This Product Will b	e Packaged in Unit Packaging	TAA	eter Calubia Deakarina		2 Tunn	of Container	
Child Resistant Packaging Yes			Met				
X No	X No	11-	X No			stic	
L				Glass		SS	
*Certification must	If Yes		Yes	No per container	X Pap		
be submitted	Unit Packaging wgt	container Pa	ackage wgt	container	Cthe	er (Specify)	
3 Location of Net Contents In	 -	4 Size(s) Retai	l Container	(ation of labe	el directions	
X Label Container 55		55 pounds	·			n Label	
6 Manner in Which Label is A	Lithograph	Lithograph Other			Label accompanying product		
Pa			aper glued				
Stenciled Stenciled							
Section IV 1 Contact Person (Complete items directly below for identification of individual to be contacted if necessary to process this application.)							
	items directly below for it	Title	vidual to be contacted				
Name Title Telephone No. (Include Area Code) Vincent J. Piccinilo VJP Consulting Inc.					clude Area Code)		
A					358 5894	8 5894	
Certification 6 Date Application							
I certify that the statements I have made on this form and all attachments thereto are true accurate and complete I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or							
both under applicable law							
2 Signature 3 Title (Stamped)							
- 0 00	VID Core	VJP Consulting Inc Authorized Agent					
Vircent Hiccords							
proposition of the second			- J				
4 Typed Name	5 Date						
Vincent J Piccirillo		October 31					

EPA Form 8570 1 (Rev 8 94) Previous editions are obsolete

V "ute - EPA File Copy (Original) Yellow - Applicant Copy

VJP CONSULTING, INC.

21320 Sweet Clover Place Ashburn, VA 20147 703-858-5894 (voice) 703-858-5484 (fax)

October 31, 2012

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7505P)
U S Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attn Marshall Swindell, Product Manager (33)

Subject Notification for primary brand name for Thionic Ziram Technical (45728-14)

Dear Mr Swindell

On behalf of Taminco, Inc , I am submitting this notification based on comments from the States regarding State registrations. This notification moves the Applications (foliar use formulation) and the Directions for Use for the biocide uses from the Thionic Technical Bulletin in the previous stamped label into the body of the label

Enclosed are the following

- 1 EPA Form 8570-1 Application for Registration
- 2 One copy of the modified final printed label Thionic Ziram Technical designated as 10/24/12RRA(EPA09/04/12, CDPRxxx)

Should you have any questions, please feel free to contact me

Sincerely yours,

Vercent Piccirillo

Vincent J Piccirillo, Ph D, DABT Authorized Agent for Taminco

cc Ann Vermaete, Taminco Jean-Michel Denis, Taminco Rob Adams



Thionic® Ziram Technical

ACTIVE INGREDIENT
Zıram (Zınc dimethyldithiocarbamate)
OTHER INGREDIENTS

98 25% 1 75%

TOTAL

100 00%

EPA Reg No 45728-14

EPA Est 32537-BEL-1

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

	FIRST AID
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses if present after the first 5 minutes then continue rinsing eye Call a poison control center or doctor for treatment advice
If inhaled	Move person to fresh air If person is not breathing call 911 or an ambulance then give artificial respiration preferably by mouth-to-mouth if possible Call a poison control center or doctor for further treatment advice
If swallowed	Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by a poison control center or doctor Do not give anything by mouth to an unconscious person
lf on skin or clothing	Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice
	HOT LINE NUMBER
treatment For	uct container or label with you when calling a poison control center or doctor or going for Emergencies involving a Spill Leak Fire Exposure or Accident Contact CHEMTREC at For product usage information phone Taminco Inc. at (800) 223-3258 from 9 00 AM to ern time
	NOTE TO PHYSICIAN
Possible muco	sal damage may contraindicate gastric lavage

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER Corrosive causes irreversible eye damage. May be fatal if swallowed or inhaled. Harmful if absorbed through skin. Do not get in eyes on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Do not breathe dust. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear a mask or pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health. Use with adequate ventilation. Wash thoroughly with soap and water after handling. Remove contaminate clothing and wash before re-use.

Thionic Ziram Technical 10/24/12RRA (EPA09/04/12 CDPR xxx)

Page 1 of 6

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes streams ponds estuaries oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

For use only by manufacturers in the formulation of rabbit repellents or in the formulation of fungicide products for the following uses almonds applies apricots blueberries blackberries boysenberries dewberries youngberries cherries conifers/pine seedlings grapes nectarines ornamentals and ornamental fruit varieties peaches pears pecans strawberries and tomatoes. This product may be used in the formulation of material preservatives for the following non-pesticide products latex paint paper and paperboard paper coatings adhesives dried films and industrial yams and fabrics and short term spoilage protection for water reduced industrial materials. See Bulletin Thionic-01 for directions for these uses. Subsequent formulators are responsible for providing documentation to support the registration of their product(s).

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal

PESTICIDE STORAGE Store in a cool dry place in the original container and away from sources of ignition

PESTICIDE DISPOSAL Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility

CONTAINER HANDLING Do not reuse or refill this container. Completely empty bag into application equipment. Dispose of empty bag in a sanitary landfill or by incineration or if allowed by State and local authorities by burning. If burned stay out of smoke

Taminco Inc. makes no warranty expressed or implied concerning the use of this product other than indicated on the label

NET WEIGHT 55 POUNDS (25 KG)



Tamınco Inc Two Windsor Plaza Suite 411 7540 Windsor Drive Allentown PA 18195

Thionic Ziram Technical 10/24/12RRA (EPA09/04/12 CDPR xxx)

Page 2 of 6

[Optional Additional Uses and Directions For Use and Safety Measures]

SAFETY MEASURES, FIRST AID

- Wear chemical resistant gloves inhalation mask or respirator safety goggles or face shield and coveralls
- Provide adequate ventilation
- Keep out of reach of children and away from food drink and feeding stuffs
- Wash thoroughly with soap and water after handling
- In case of contact with eyes immediately with plenty of water and contact a physician
- In swallowed drink large quantities of water and seek medical attention immediately
- Store in a cool dry place away from sparks or open flame

APPLICATIONS

This product may be used in the formulation of fungicide products for the following uses

- * Almonds
- * Apples
- * Apricots
- * Blueberries
- * Blackbernes
- * Boysenberries
- * Dewberries
- * Youngbernes
- * Chernes
- * Conifers/Pine Seedlings

- * Grapes
- * Nectarines
- * Ornamentals
- * Ornamental Fruit Varieties
- *Peaches
- * Pears
- * Pecans
- *Strawbernes
- *Tomatoes

This product may be used in the formulation of the following non-pesticide products

- latex paint
- paper and paperboard
- paper coatings
- water reduced industrial materials

- adhesives
- industrial varns and fabrics
- dried films

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Mold inhibitor for Latex Paint For exterior latex paints use no more than 1% THIONIC based on total weight (equal to about 10 lbs per 100 gallons) For all other paints use no more than 3% THIONIC based on total weight (equal to no more than 30 lbs per 100 gallons) added during the pigment-dispersion stage of manufacture. It is recommended that users of paints applied with an airless sprayer wear suitable respiratory protection. Do not use in formulations containing metallic diner

Mold Resistant Paper and Paperboard - To impart mold resistant properties to paper or paperboard apply as a surface treatment on size press or calendar stack THIONIC diluted as required to retain 0.5% solids on the weight of the sheet. See TAPPI Standard T487M 54 for mold resistance evaluation method. Do not use for the manufacture of mold resistant paper or paperboard intended for food packaging purposes

Preservation of Paper Coatings - To preserve non-food contact paper coatings add 0.1% THIONIC by weight or the dry starch or protein

Preservation of Adhesives - To preserve starch and synthetic latex adhesive formulations (dry after water is added by enduser) against bacterial degradation add 0 185% to 0 5% THIONIC by weight of total composition during manufacture of adhesive composition. This product is cleared for use in adhesives used in food packaging (FDA § 175 105)

Preservation of Industrial Yarns and Fabrics - For long-term protection of Industrial Yarns and fabrics from mildews rots and bacterial decomposition use 1 25% ± 0 25% THIONIC based on the weight of the material applied in water dispersion

Thionic Ziram Technical 10/24/12RRA (EPA09/04/12 CDPR xxx)

Page 3 of 6

<u>Preservative for Dried Films</u> The dried films of water based or water-reduced industrial materials are often subject to defacement by mold and mildew. Such materials include wall and ceiling textures, wallpaper paste, wallboard, joint compounds spackles wood fillers caulks and sealants. THIONIC should be added at 0.185 to 0.5% (based on potential dry film solids weight) during the initial phase of formula preparation to assure adequate wetting and disbursement.

Short-term Spoilage Protection – THIONIC can supply short-term protection from spoilage to water-reduced industrial materials including wallboard compounds. For successful control of spoilage, the use of good quality water and clean manufacturing conditions are required. In ready mix products, add 0.4 - 0.5% THIONIC to the water-based formula during manufacture based on total weight. In dry-powder formulas, the amount of THIONIC added during final manufacture should be sufficient to attain 0.4 0.5% THIONIC in the final mixture, once water is added at the use site.

IMPORTANT

Consult with Taminco Inc or the Environmental Protection Agency to obtain information on currently registered uses for Ziram as they are subject to change

Subsequent formulators are responsible for providing documentation to support any required registration of their product(s)

Thionic® is a registered trademark of Taminco S A a Belgian corporation

BULLETIN THIONIC 01

THIONIC® ZIRAM TECHNICAL

DESCRIPTION

This Technical Bulletin is directed to formulators and their personnel to provide adequate information on the product. This information should be considered the basis for development and utilization of safe and proper handling procedures. For any further information, contact Taminco, Inc.

CHEMICAL FORMULA

[(CH₃)₂NCS₂]₂ Zn

PHYSICAL AND CHEMICAL PROPERTIES

Active Ingredient

Zinc dimethyldithiocarbamate 98 25%

- Physical State

Creamy-white powder

- Odor

Nil

Melting Point

Decomposes > 250° C

pH (in 4% aqueous suspension) 7 29

- Solubility (in H2O) Soluble in part

- Bulk Density (g/cc) 0 25

PACKAGING

55 Pounds net multi-ply paper bags or other approved packaging

CHEMICAL REACTIVITY

- Ziram is stable and non corrosive. However, excessive heat and moisture should be avoided as should contact with strong oxidizers.
- · Contact with inorganic acids liberates carbon disulfide
- · Incompatible with copper and mercury compounds

FLAMMABILITY AND FIREFIGHTING

This product is considered noncombustible. However, under fire conditions, it may decompose and emit toxic fumes of carbon nitrogen and sulfur oxides.

Use standard extinguishing media - water carbon dioxide dry chemicals or foam. When there is a potential for exposure wear a self-contained breathing apparatus in positive pressure mode. In addition, impervious clothing should be worn

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams ponds estuaries oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EFA Do not contaminate water when disposing of equipment washwaters.

Thionic Ziram Technical 10/24/12RRA (EPA09/04/12 CDPR xxx)

9/9

TOXICOLOGY

TOXICITY TO ANIMALS*

 $\begin{array}{lll} & & & & & & & & \\ \text{Dof} & & & & & \\ \text{Dermal} & & & & & \\ \text{Inhalation} & & & & \\ \text{LC}_{50} \ (\text{mg/kg}) \ 320^* \ (\text{rat}) \\ & & & \\ \text{LC}_{50} \ (\text{mg/l}) \ 0 \ 07^* \ (\text{rat}) \\ \end{array}$

Primary Eye Irritation Corrosive* (rabbit)

Primary Skin Irritation No irritation (4-hrs) * (rabbit)

Skin Sensitization Sensitization rate of 30% * (guinea pig)

HUMAN TOXICITY

ZIRAM is irritating to eyes nose throat and skin. May be fatal if swallowed or inhaled. Harmful if absorbed through skin.

An antabuse-like reaction with flushing sweating headache weakness and hypotension may occur when ethyl alcohol (alcoholic beverages) is ingested following exposure to this material

Symptoms Rhinitis laryngitis pharyngitis gastritis dermatitis disorders in metabolism blood picture and in liver function



^{*} Taminco Inc Proprietary Study